

# OSIRIUM PAM CEF SPECIFICATION

## VERSION 7.3.6±G1C361D6571



This document details a list of events that Osirium PAM can emit in Common Event Format (CEF) over the syslog protocol (see RFC3164). CEF is a standard in security event management that aids the interoperability of infrastructure devices by aggregating the logging output of different network devices and applications. As such, processing and analysing logged data can be streamlined, providing efficient access to semantically structured event data using a SIEM (Security Information and Event Management) approach.

---

### account\_updated

An account configuration has been updated on Osirium PAM

deviceAction Always

The update action performed on the account

destinationUserName Always

The account on the target device to which the event relates

destinationName (*as deviceCustomString1*) When Available

The name of the device relating to the event

oldState (*as deviceCustomString6*) When Available

The previous state of the account

sourceUserDisplayName (*as deviceCustomString2*) When Available

The human-readable name of the platform user who initiated the action

authenticationServiceName (*as deviceCustomString4*) When Available

The name of the authentication service associated with the account

newState (*as deviceCustomString5*) When Available

The new state of the account

destinationAddress When Available

The address of the device relating to the event

destinationHostName When Available

The host name of the device relating to the event

sourceUserName When Available

The username of the platform user who initiated the action

---

### cluster\_health

Osirium PAM cluster health status

eventOutcome Always

---

**device\_account\_created**

New account created on device

**destinationName** (*as deviceCustomString1*) Always

The name of the device relating to the event

**destinationAddress** Always

The address of the device relating to the event

**destinationUserName** Always

The account on the target device to which the event relates

**destinationHostName** Always

The host name of the device relating to the event

---

**device\_account\_deleted**

Account deleted on device

**destinationName** (*as deviceCustomString1*) Always

The name of the device relating to the event

**destinationAddress** Always

The address of the device relating to the event

**destinationUserName** Always

The account on the target device to which the event relates

**destinationHostName** Always

The host name of the device relating to the event

---

**device\_account\_discovered**

Discovered new unapproved account on device

**destinationName** (*as deviceCustomString1*) Always

The name of the device relating to the event

**destinationAddress** Always

The address of the device relating to the event

**destinationUserName** Always

The account on the target device to which the event relates

**destinationHostName** Always

The host name of the device relating to the event

**device\_fingerprint\_added**

Added device fingerprint

applicationProtocol Always

The protocol used to communicate with the device

fingerprint (*as deviceCustomString2*) Always

Fingerprint

port (*as deviceCustomString1*) Always

Device port

isApproved (*as deviceCustomString3*) Always

State of fingerprint approval

destinationAddress Always

Device address

**device\_fingerprint\_removed**

Removed device fingerprint

port (*as deviceCustomString1*) Always

Device port

destinationAddress Always

Device address

applicationProtocol Always

The protocol used to communicate with the device

**device\_parameter\_changed**

Changed device parameter

destinationName (*as deviceCustomString1*) Always

The name of the device relating to the event

destinationAddress Always

The address of the device relating to the event

toValue (*as deviceCustomString6*) Always

The new value of the parameter

parameterName (*as deviceCustomString4*) Always

The name of the parameter that was changed

destinationHostName Always

The host name of the device relating to the event

fromValue (*as deviceCustomString5*) When Available

The old value of the parameter

**error**

An error has occurred

message Always

A message describing the error

sourceUserName When Available

The username of the platform user who initiated the action

sourceUserDisplayName (*as deviceCustomString2*) When Available

The human-readable name of the platform user who initiated the action

---

**failed\_to\_generate\_fingerprint**

Could not generate fingerprint

applicationProtocol Always

The protocol used to communicate with the device

port (*as deviceCustomString1*) Always

Device port

destinationAddress Always

Device address

reason (*as deviceCustomString2*) Always

Reason

aborting (*as deviceCustomString3*) Always

Aborting

---

**failed\_to\_generate\_fingerprint\_log\_only**

Could not generate fingerprint but behaviour is log only

port (*as deviceCustomString1*) Always

Device port

destinationAddress Always

Device address

applicationProtocol Always

The protocol used to communicate with the device

reason (*as deviceCustomString2*) Always

Reason

aborting (*as deviceCustomString3*) Always

Aborting

**failed\_to\_generate\_fingerprint\_non\_default\_tool**

Could not generate fingerprint but non-default tool for device applicationProtocol	Always
The protocol used to communicate with the device port ( <i>as deviceCustomString1</i> )	Always
Device port destinationAddress	Always
Device address reason ( <i>as deviceCustomString2</i> )	Always
Reason aborting ( <i>as deviceCustomString3</i> )	Always
Aborting	

**fingerprint\_verification\_failure**

Blocking connection. Fingerprint verification failed fingerprint ( <i>as deviceCustomString2</i> )	Always
Fingerprint destinationAddress	Always
Device address connecting ( <i>as deviceCustomString3</i> )	Always
Connecting port ( <i>as deviceCustomString1</i> )	Always
Device port applicationProtocol	Always
The protocol used to communicate with the device	

**fingerprint\_verification\_failure\_log\_only**

Allowing connection. Fingerprint verification failed but behaviour is log only destinationAddress	Always
Device address port ( <i>as deviceCustomString1</i> )	Always
Device port applicationProtocol	Always
The protocol used to communicate with the device fingerprint ( <i>as deviceCustomString2</i> )	Always
Fingerprint connecting ( <i>as deviceCustomString3</i> )	Always
Connecting	

**fingerprint\_verification\_success**

Allowing connection. Fingerprint verification succeeded	
applicationProtocol	Always
The protocol used to communicate with the device	
port ( <i>as deviceCustomString1</i> )	Always
Device port	
connecting ( <i>as deviceCustomString3</i> )	Always
Connecting	
fingerprint ( <i>as deviceCustomString2</i> )	Always
Fingerprint	
destinationAddress	Always
Device address	

**long\_running\_connection\_to\_device**

A user has been connected to a device for a long time	
destinationName ( <i>as deviceCustomString1</i> )	Always
The name of the device relating to the event	
sourceAddress	Always
The address from which the user connected to the device	
destinationUserName	Always
The account on the target device to which the event relates	
changeTicketNames ( <i>as deviceCustomString6</i> )	Always
The names of any change tickets associated with the connection	
duration ( <i>as deviceCustomString3</i> )	Always
The length of time the user has been connected that is now considered to be "long"	
channelToken ( <i>as deviceCustomString4</i> )	Always
An arbitrary identifier useful for correlating events pertaining to this connection	
applicationProtocol	Always
The protocol used to communicate with the device	
roleName ( <i>as deviceCustomString5</i> )	Always
The name of the role in which the user connected to the device	
sourceUserName	Always
The username of the platform user who initiated the action	
destinationAddress	When Available
The address of the device relating to the event	
MAPToolName ( <i>as deviceCustomString2</i> )	When Available
The name of the MAP tool used	
destinationHostName	When Available
The host name of the device relating to the event	

---

**password\_viewed\_on\_console**

A password was revealed on the break-glass console

destinationName (*as deviceCustomString1*) Always

The name of the device relating to the event

destinationAddress Always

The address of the device relating to the event

destinationUserName Always

The account on the target device to which the event relates

destinationHostName Always

The host name of the device relating to the event

---

**session\_terminated\_by\_cluster**

An administrator terminated a session

sessionID (*as deviceCustomString1*) Always

The session which was terminated

nodeID (*as deviceCustomString3*) Always

The node name on which the event triggering the termination originated

---

**session\_terminated\_locally**

An administrator terminated a session

sessionID (*as deviceCustomString1*) Always

The session which was terminated

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

sourceUserName Always

The username of the platform user who initiated the action

**task\_finished**

An automated task was completed

<code>destinationName</code> ( <i>as deviceCustomString1</i> )	Always
The name of the device relating to the event	
<code>sourceUserDisplayName</code> ( <i>as deviceCustomString2</i> )	Always
The human-readable name of the platform user who initiated the action	
<code>destinationAddress</code>	Always
The address of the device relating to the event	
<code>destinationHostName</code>	Always
The host name of the device relating to the event	
<code>eventOutcome</code>	Always
The success/failure status of the action	
<code>sourceUserName</code>	Always
The username of the platform user who initiated the action	
<code>taskName</code> ( <i>as deviceCustomString6</i> )	When Available
The name assigned to the task that completed	

**task\_queued**

A task was queued to run

<code>destinationName</code> ( <i>as deviceCustomString1</i> )	Always
The name of the device relating to the event	
<code>destinationAddress</code>	Always
The address of the device relating to the event	
<code>destinationHostName</code>	Always
The host name of the device relating to the event	
<code>taskName</code> ( <i>as deviceCustomString6</i> )	Always
The name assigned to the queued task	
<code>sourceUserName</code>	When Available
The username of the platform user who initiated the action	
<code>sourceUserDisplayName</code> ( <i>as deviceCustomString2</i> )	When Available
The human-readable name of the platform user who initiated the action	
<code>destinationUserName</code>	When Available
A argument required for logging when a "ad_account_password_changed" task is ran	
<code>domain</code> ( <i>as deviceCustomString3</i> )	When Available
A argument required for logging when a "ad_account_password_changed" task is ran	



---

**user\_acquired\_change\_ticket**

A user acquired a change ticket

**changeTicketName** (*as deviceCustomString6*) Always

The name of the change ticket acquired by the user

**destinationUserName** Always

The user who has been associated with the change ticket

**sourceUserDisplayName** (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

**sourceUserName** Always

The username of the platform user who initiated the action

---

**user\_associated\_change\_ticket\_with\_connection**

A user associated a change ticket with a connection

**changeTicketName** (*as deviceCustomString6*) Always

The name of the change ticket associated with the connection

**sourceUserDisplayName** (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

**externalId** Always

The arbitrary identifier of the connection associated with the change ticket

**sourceUserName** Always

The username of the platform user who initiated the action

---

**user\_cloned\_user**

A user created new user by copying portions of an existing user

**clonedUserName** (*as deviceCustomString2*) Always

The username of the user from which the new user was derived

**destinationUserName** Always

The username of the new user

**sourceUserName** Always

The username of the platform user who initiated the action

**authenticationType** (*as deviceCustomString6*) When Available

The authentication type of the new user

**emailAddress** (*as deviceCustomString3*) When Available

The email address of the new user

**enabled** (*as deviceCustomString5*) When Available

Whether the new user is enabled

**expiresAt** (*as deviceCustomString4*) When Available

When the new user account is set to expire

**user\_commented\_on\_change\_ticket**

A user commented on a change ticket

changeTicketName ( <i>as deviceCustomString6</i> )	Always
The name of the change ticket on which the user commented	
sourceUserDisplayName ( <i>as deviceCustomString2</i> )	Always
The human-readable name of the platform user who initiated the action	
sourceUserName	Always
The username of the platform user who initiated the action	
comment ( <i>as deviceCustomString1</i> )	When Available
The comment the user made on the change ticket	

**user\_connected\_to\_device**

A user connected to a device using Osirium PAM

destinationName ( <i>as deviceCustomString1</i> )	Always
The name of the device relating to the event	
sourceAddress	Always
The address from which the user connected to the device	
destinationUserName	Always
The account on the target device to which the event relates	
changeTicketNames ( <i>as deviceCustomString6</i> )	Always
The names of any change tickets associated with the connection	
channelToken ( <i>as deviceCustomString4</i> )	Always
An arbitrary identifier useful for correlating events pertaining to this connection	
applicationProtocol	Always
The protocol used to communicate with the device	
roleName ( <i>as deviceCustomString5</i> )	Always
The name of the role in which the user connected to the device	
sourceUserName	Always
The username of the platform user who initiated the action	
destinationAddress	When Available
The address of the device relating to the event	
MAPToolName ( <i>as deviceCustomString2</i> )	When Available
The name of the MAP tool used	
destinationHostName	When Available
The host name of the device relating to the event	

---

### user\_created\_access\_request

A user created a new device access request

destinationName (*as deviceCustomString1*) Always

The name of the device relating to the event

sourceUserName Always

The username of the user who made the request

destinationAddress Always

The address of the device relating to the event

destinationHostName Always

The host name of the device relating to the event

taskName (*as deviceProcessName*) When Available

The name of the task the user wants to run

message When Available

The reason for requesting access

destinationUserName When Available

The account on the target device to which the event relates

toolName (*as deviceCustomString3*) When Available

The human-readable name of the tool relating to the event

---

### user\_created\_account\_mapping\_pattern

A user created a new account mapping pattern

pattern (*as deviceCustomString6*) Always

The newly created account mapping pattern

name (*as deviceCustomString5*) Always

The newly created account mapping name

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

sourceUserName Always

The username of the platform user who initiated the action

---

### user\_created\_auth\_service

A user created an authentication service

sourceUserName Always

The username of the platform user who initiated the action

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

authenticationServiceName (*as deviceCustomString6*) Always

The name of the authentication service

---

### user\_created\_file

A user created a file stored on Osirium PAM

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

sourceUserName Always

The username of the platform user who initiated the action

destinationName (*as deviceCustomString1*) When Available

The name of the device relating to the event

destinationAddress When Available

The address of the device relating to the event

destinationHostName When Available

The host name of the device relating to the event

---

### user\_created\_user

A user created a new user on Osirium PAM

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

destinationUserName Always

The username of the new user

sourceUserName Always

The username of the platform user who initiated the action

emailAddress (*as deviceCustomString3*) When Available

The email address of the new user

expiresAt (*as deviceCustomString4*) When Available

When the new user account is set to expire

authenticationType (*as deviceCustomString6*) When Available

The authentication type of the new user

enabled (*as deviceCustomString5*) When Available

Whether the new user is enabled

---

### user\_created\_user\_group

A user created a new user group

sourceUserName Always

The username of the platform user who initiated the action

userGroupName (*as deviceCustomString6*) Always

The name of the new user group

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

userNames (*as deviceCustomString5*) Always

The usernames of the users in the new user group

---

**user\_delete\_fingerprint\_failed**

A user failed to delete a fingerprint

fingerprintId (*as deviceCustomString4*) Always

Fingerprint id

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

sourceUserName Always

The username of the platform user who initiated the action

---

**user\_deleted\_account\_mapping\_pattern**

A user deleted an account mapping pattern

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

name (*as deviceCustomString5*) Always

The account mapping name that was deleted

pattern (*as deviceCustomString6*) Always

The account mapping pattern that was deleted

sourceUserName Always

The username of the platform user who initiated the action

---

**user\_deleted\_auth\_service**

A user deleted an authentication service

sourceUserName Always

The username of the platform user who initiated the action

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

authenticationServiceName (*as deviceCustomString6*) Always

The name of the authentication service

---

**user\_deleted\_file**

A user deleted a file stored on Osirium PAM

filePath	Always
The full path of the file that was deleted, including the file name	
sourceUserDisplayName ( <i>as deviceCustomString2</i> )	Always
The human-readable name of the platform user who initiated the action	
sourceUserName	Always
The username of the platform user who initiated the action	
destinationName ( <i>as deviceCustomString1</i> )	When Available
The name of the device relating to the event	
destinationAddress	When Available
The address of the device relating to the event	
destinationHostName	When Available
The host name of the device relating to the event	

---

**user\_deleted\_fingerprint**

A user deleted a fingerprint

fingerprint ( <i>as deviceCustomString5</i> )	Always
Deleted fingerprint	
deviceName ( <i>as deviceCustomString2</i> )	Always
The human-readable name of the device relating to the event	
toolName ( <i>as deviceCustomString3</i> )	Always
The human-readable name of the tool relating to the event	
sourceUserName	Always
The username of the platform user who initiated the action	
fingerprintId ( <i>as deviceCustomString4</i> )	Always
Fingerprint id	

---

**user\_deleted\_user**

A user deleted a user from Osirium PAM

destinationUserName	Always
The username of the user that was deleted	
sourceUserDisplayName ( <i>as deviceCustomString2</i> )	Always
The human-readable name of the platform user who initiated the action	
sourceUserName	Always
The username of the platform user who initiated the action	

---

**user\_deleted\_user\_group**

A user deleted a user group

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

userGroupName (*as deviceCustomString6*) Always

The name of the deleted user group

sourceUserName Always

The username of the platform user who initiated the action

---

**user\_disconnected\_from\_device**

A user disconnected from a device

destinationName (*as deviceCustomString1*) Always

The name of the device relating to the event

sourceAddress Always

The address from which the user connected to the device

destinationUserName Always

The account on the target device to which the event relates

changeTicketNames (*as deviceCustomString6*) Always

The names of any change tickets associated with the connection

channelToken (*as deviceCustomString4*) Always

An arbitrary identifier useful for correlating events pertaining to this connection

applicationProtocol Always

The protocol used to communicate with the device

roleName (*as deviceCustomString5*) Always

The name of the role in which the user connected to the device

sourceUserName Always

The username of the platform user who initiated the action

destinationAddress When Available

The address of the device relating to the event

MAPToolName (*as deviceCustomString2*) When Available

The name of the MAP tool used

duration (*as deviceCustomString3*) When Available

The length of time that the user was connected

destinationHostName When Available

The host name of the device relating to the event

---

**user\_downloaded\_breakglass\_document**

A user downloaded the breakglass document

sourceUserName Always

The username of the platform user who initiated the action

---

**user\_executed\_troubleshooting\_script**

A user executed a troubleshooting script on the PAM Server Console

filename	Always
The name of the script that was executed on the console	
sourceUserDisplayName ( <i>as deviceCustomString2</i> )	Always
The human-readable name of the platform user who initiated the action	
scriptArguments ( <i>as deviceCustomString6</i> )	Always
The arguments passed to the script	
sourceUserName	Always
The username of the platform user who initiated the action	

---

**user\_failed\_login\_odc**

A user failed to log in to Osirium PAM

destinationName ( <i>as deviceCustomString1</i> )	Always
The name of the device relating to the event	
destinationUserName	Always
The account on the target device to which the event relates	
sourceAddress	Always
The address from which the client attempted to connect	
destinationAddress	Always
The address of the device relating to the event	
destinationHostName	Always
The host name of the device relating to the event	
sourceUserName	Always
The username of the platform user who initiated the action	
message	When Available
An error message about why the login attempt failed	



---

**user\_failed\_to\_update\_device\_password**

A user failed to update the password on a device

**destinationName** (*as deviceCustomString1*) Always

The name of the device relating to the event

**Reason** Always

The reason the password update did not proceed

**destinationUserName** Always

The account on the target device to which the event relates

**sourceUserDisplayName** (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

**destinationAddress** Always

The address of the device relating to the event

**destinationHostName** Always

The host name of the device relating to the event

**sourceUserName** Always

The username of the platform user who initiated the action

---

**user\_forced\_secrets\_refresh**

A user forced a password refresh for an account

**sourceUserDisplayName** (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

**destinationUserName** Always

The account on the target device to which the event relates

**sourceUserName** Always

The username of the platform user who initiated the action

**destinationName** (*as deviceCustomString1*) When Available

The name of the device relating to the event

**destinationAddress** When Available

The address of the device relating to the event

**destinationHostName** When Available

The host name of the device relating to the event

**authenticationServiceName** (*as deviceCustomString6*) When Available

The authentication service to which the account belongs

---

**user\_locked\_device\_account**

A user locked an account on a device

**sourceUserDisplayName** (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

**destinationUserName** Always

The account on the target device to which the event relates

**sourceUserName** Always

The username of the platform user who initiated the action

---

**user\_logged\_in\_odc**

A user logged in to Osirium PAM

**destinationName** (*as deviceCustomString1*) Always

The name of the device relating to the event

**sourceAddress** Always

The address from which the client connected

**destinationUserName** Always

The account on the target device to which the event relates

**destinationAddress** Always

The address of the device relating to the event

**destinationHostName** Always

The host name of the device relating to the event

**sourceUserName** Always

The username of the platform user who initiated the action

---

**user\_logged\_out\_odc**

A user logged out from Osirium PAM

**destinationName** (*as deviceCustomString1*) Always

The name of the device relating to the event

**destinationUserName** Always

The account on the target device to which the event relates

**sourceUserDisplayName** (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

**sourceAddress** Always

The address from which the client was connected

**destinationAddress** Always

The address of the device relating to the event

**destinationHostName** Always

The host name of the device relating to the event

**sourceUserName** Always

The username of the platform user who initiated the action

---

**user\_login\_response\_required**

A user must respond to log in to Osirium PAM

**destinationName** (*as deviceCustomString1*) **Always**

The name of the device relating to the event

**sourceAddress** **Always**

The address from which the client connected

**destinationUserName** **Always**

The account on the target device to which the event relates

**destinationAddress** **Always**

The address of the device relating to the event

**destinationHostName** **Always**

The host name of the device relating to the event

**sourceUserName** **Always**

The username of the platform user who initiated the action

---

**user\_migrated\_device\_to\_new\_template**

A user migrated a device to use a new template

**destinationName** (*as deviceCustomString1*) **Always**

The name of the device relating to the event

**oldTemplateName** (*as deviceCustomString2*) **Always**

The name of the device template that was used to handle the device configuration and interactions

**templateVendor** (*as deviceCustomString6*) **Always**

The vendor of the device that the template is targetting

**newTemplateName** (*as deviceCustomString5*) **Always**

The version of the device templated that will now be used to handle the device configuration and interactions

**oldTemplateName** (*as deviceCustomString3*) **Always**

The version of the device templated that was used to handle the device configuration and interactions

**newTemplateName** (*as deviceCustomString4*) **Always**

The name of the device template that will now be used to handle the device configuration and interactions

**destinationAddress** **Always**

The address of the device relating to the event

**sourceUserName** **Always**

The username of the platform user who initiated the action

**destinationHostName** **Always**

The host name of the device relating to the event

### user\_provisioned\_device

A user provisioned a device

destinationName ( <i>as deviceCustomString1</i> )	Always
The name of the device relating to the event	
templateVendor ( <i>as deviceCustomString6</i> )	Always
The vendor of the device that the template is targeting	
sourceUserDisplayName ( <i>as deviceCustomString2</i> )	Always
The human-readable name of the platform user who initiated the action	
destinationAddress	Always
The address of the device relating to the event	
templateVersion ( <i>as deviceCustomString5</i> )	Always
The version of the device templated used to handle the device configuration and interactions	
templateName ( <i>as deviceCustomString4</i> )	Always
The name of the device template used to handle the device configuration and interactions	
destinationHostName	Always
The host name of the device relating to the event	
sourceUserName	Always
The username of the platform user who initiated the action	
authServiceName ( <i>as deviceCustomString3</i> )	When Available
The human-readable name of the auth service the device was provisioned with	

### user\_read\_device\_file

A user read the contents of a file on a device

destinationName ( <i>as deviceCustomString1</i> )	Always
The name of the device relating to the event	
destinationUserName	Always
The account on the target device to which the event relates	
filePath	Always
The full path on the device of the file that was read	
sourceUserDisplayName ( <i>as deviceCustomString2</i> )	Always
The human-readable name of the platform user who initiated the action	
destinationAddress	Always
The address of the device relating to the event	
destinationHostName	Always
The host name of the device relating to the event	
sourceUserName	Always
The username of the platform user who initiated the action	

---

**user\_released\_change\_ticket**

A user released a change ticket

changeTicketName (*as deviceCustomString6*) Always

The name of the change ticket released by the user

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

sourceUserName Always

The username of the platform user who initiated the action

destinationUserName When Available

The username of the user who was associated with the change ticket

---

**user\_requested\_profile\_deletion**

A user requested the deletion of a profile

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

profileName (*as deviceCustomString6*) Always

The name of the profile to be deleted

sourceUserName Always

The username of the platform user who initiated the action

**user\_responded\_to\_access\_request**

A user responded to a device access request

<code>destinationName</code> ( <i>as deviceCustomString1</i> )	Always
The name of the device relating to the event	
<code>response</code> ( <i>as deviceCustomString6</i> )	Always
The response the user gave to the access request	
<code>requesterUserName</code> ( <i>as deviceCustomString4</i> )	Always
The username of the user who made the request	
<code>sourceUserDisplayName</code> ( <i>as deviceCustomString2</i> )	Always
The human-readable name of the platform user who initiated the action	
<code>destinationAddress</code>	Always
The address of the device relating to the event	
<code>requesterUserDisplayName</code> ( <i>as deviceCustomString3</i> )	Always
The display name of the user who made the request	
<code>sourceUserName</code>	Always
The username of the platform user who initiated the action	
<code>destinationHostName</code>	Always
The host name of the device relating to the event	
<code>taskName</code> ( <i>as deviceProcessName</i> )	When Available
The name of the task the user wants to run	
<code>destinationUserName</code>	When Available
The account on the target device to which the event relates	
<code>toolName</code> ( <i>as deviceCustomString5</i> )	When Available
The human-readable name of the tool relating to the event	

**user\_revealed\_secrets**

A user revealed the secrets for an account

<code>sourceUserDisplayName</code> ( <i>as deviceCustomString2</i> )	Always
The human-readable name of the platform user who initiated the action	
<code>destinationUserName</code>	Always
The account on the target device to which the event relates	
<code>sourceUserName</code>	Always
The username of the platform user who initiated the action	
<code>destinationName</code> ( <i>as deviceCustomString1</i> )	When Available
The name of the device relating to the event	
<code>destinationAddress</code>	When Available
The address of the device relating to the event	
<code>destinationHostName</code>	When Available
The host name of the device relating to the event	
<code>authenticationServiceName</code> ( <i>as deviceCustomString6</i> )	When Available
The authentication service to which the account belongs	

### user\_revealed\_secrets\_history

A user revealed the secrets history for an account

sourceUserName	Always
The username of the platform user who initiated the action	
destinationUserName	Always
The account on the target device to which the event relates	
sourceUserDisplayName ( <i>as deviceCustomString2</i> )	Always
The human-readable name of the platform user who initiated the action	
numberRevealed ( <i>as deviceCustomNumber1</i> )	Always
The number of historical secrets that were revealed	
destinationName ( <i>as deviceCustomString1</i> )	When Available
The name of the device relating to the event	
destinationAddress	When Available
The address of the device relating to the event	
destinationHostName	When Available
The host name of the device relating to the event	
authenticationServiceName ( <i>as deviceCustomString6</i> )	When Available
The authentication service to which the account belongs	

### user\_rolled\_back\_device\_passwords

A user rolled back the passwords on a device

destinationName ( <i>as deviceCustomString1</i> )	Always
The name of the device relating to the event	
sourceUserName	Always
The username of the platform user who initiated the action	
destinationAddress	Always
The address of the device relating to the event	
sourceUserDisplayName ( <i>as deviceCustomString2</i> )	Always
The human-readable name of the platform user who initiated the action	
destinationHostName	Always
The host name of the device relating to the event	

---

**user\_started\_deleting\_auth\_service**

A user triggered the deletion and cleanup of an authentication service

sourceUserName Always

The username of the platform user who initiated the action

forced (*as deviceCustomString5*) Always

Whether the deletion was forced

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

authenticationServiceName (*as deviceCustomString6*) Always

The name of the authentication service being deleted

---

**user\_started\_deleting\_user**

A user initiated the deletion of another user on Osirium PAM

destinationUserName Always

The name of the user being deleted

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

droppedActiveConnections (*as deviceCustomString6*) Always

Whether Osirium PAM dropped active connections from the user in order to initiate the deletion

sourceUserName Always

The username of the platform user who initiated the action

---

**user\_unlocked\_device\_account**

A user unlocked an account on a device

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

destinationUserName Always

The account on the target device to which the event relates

sourceUserName Always

The username of the platform user who initiated the action



---

**user\_unprovisioned\_device**

A user unprovisioned a device

**destinationName** (*as deviceCustomString1*) Always

The name of the device relating to the event

**forced** (*as deviceCustomString6*) Always

Whether the device was forcibly unprovisioned

**destinationAddress** Always

The address of the device relating to the event

**destinationHostName** Always

The host name of the device relating to the event

**sourceUserDisplayName** (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

**sourceUserName** Always

The username of the platform user who initiated the action

---

**user\_update\_fingerprint\_failed**

A user failed to update a connection fingerprint

**sourceUserDisplayName** (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

**newIsApproved** (*as deviceCustomString4*) Always

New state of fingerprint approval

**fingerprintId** (*as deviceCustomString5*) Always

Fingerprint id

**sourceUserName** Always

The username of the platform user who initiated the action

---

**user\_updated\_account\_mapping\_pattern**

A user updated an account mapping pattern

**name** (*as deviceCustomString5*) Always

The account mapping name that was updated

**sourceUserName** Always

The username of the platform user who initiated the action

**sourceUserDisplayName** (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

**pattern** (*as deviceCustomString6*) Always

The account mapping pattern that was updated

**user\_updated\_device\_file**

A user performed an action that changed a file on a device

destinationName ( <i>as deviceCustomString1</i> )	Always
The name of the device relating to the event	
deviceAction	Always
The action (append, overwrite, delete) that was taken by the user	
filePath	Always
The full path on the device of the file that was updated	
destinationUserName	Always
The account on the target device to which the event relates	
sourceUserDisplayName ( <i>as deviceCustomString2</i> )	Always
The human-readable name of the platform user who initiated the action	
destinationAddress	Always
The address of the device relating to the event	
destinationHostName	Always
The host name of the device relating to the event	
sourceUserName	Always
The username of the platform user who initiated the action	

**user\_updated\_device\_secret**

A user updated device credentials

destinationName ( <i>as deviceCustomString1</i> )	Always
The name of the device relating to the event	
destinationUserName	Always
The account on the target device to which the event relates	
sourceUserDisplayName ( <i>as deviceCustomString2</i> )	Always
The human-readable name of the platform user who initiated the action	
destinationAddress	Always
The address of the device relating to the event	
destinationHostName	Always
The host name of the device relating to the event	
sourceUserName	Always
The username of the platform user who initiated the action	

**user\_updated\_fingerprint**

A user updated a connection fingerprint

sourceUserName	Always
The username of the platform user who initiated the action	
deviceName ( <i>as deviceCustomString2</i> )	Always
The human-readable name of the device relating to the event	
fingerprint ( <i>as deviceCustomString5</i> )	Always
Fingerprint	
oldIsApproved ( <i>as deviceCustomString3</i> )	Always
Old state of fingerprint approval	
newIsApproved ( <i>as deviceCustomString4</i> )	Always
New state of fingerprint approval	

**user\_updated\_personal\_secrets**

A user updated the secrets record for a personal account

sourceUserDisplayName ( <i>as deviceCustomString2</i> )	Always
The human-readable name of the platform user who initiated the action	
destinationUserName	Always
The account on the target device to which the event relates	
sourceUserName	Always
The username of the platform user who initiated the action	
destinationName ( <i>as deviceCustomString1</i> )	When Available
The name of the device relating to the event	
destinationAddress	When Available
The address of the device relating to the event	
destinationHostName	When Available
The host name of the device relating to the event	
authenticationServiceName ( <i>as deviceCustomString6</i> )	When Available
The authentication service to which the account belongs	

---

**user\_updated\_profile\_memberships**

A user updated the memberships of a profile

profileName (*as deviceCustomString6*) Always

The name of the profile for which the users were changed

entityType (*as deviceCustomString5*) Always

The type of entity (user, user\_group, approver, approver\_group, device, tool, task) added to or removed from the profile

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

sourceUserName Always

The username of the platform user who initiated the action

removedEntityNames (*as deviceCustomString3*) When Available

The names of the entities of the specified type removed from the profile

addedEntityNames (*as deviceCustomString4*) When Available

The names of the entities of the specified type added to the profile

---

**user\_updated\_user\_group**

A user updated a user group

userGroupName (*as deviceCustomString6*) Always

The name of the updated user group

sourceUserName Always

The username of the platform user who initiated the action

enabled\_status (*as deviceCustomString1*) When Available

Whether the user group is now enabled

removedUserNames (*as deviceCustomString2*) When Available

The names of the users who were removed from the group

addedUserNames (*as deviceCustomString3*) When Available

The names of the users who were added to the group

oldUserGroupName (*as deviceCustomString5*) When Available

The previous name of the user group if it has been changed