

# PXM PLATFORM CEF SPECIFICATION

## VERSION 6.5.4-5



This document details a list of events that the PXM Platform can emit in Common Event Format (CEF) over the syslog protocol (see RFC3164). CEF is a standard in security event management that aids the interoperability of infrastructure devices by aggregating the logging output of different network devices and applications. As such, processing and analysing logged data can be streamlined, providing efficient access to semantically structured event data using a SIEM (Security Information and Event Management) approach.

---

### ad\_missing\_account

A control account was missing from Active Directory

destinationUserName

Always

The account on the target device to which the event relates

---

### account\_updated

An account configuration has been updated on the PXM Platform

deviceAction

Always

The update action performed on the account

destinationUserName

Always

The account on the target device to which the event relates

oldState (*as deviceCustomString6*)

When Available

The previous state of the account

sourceUserName

When Available

The username of the platform user who initiated the action

authenticationServiceName (*as deviceCustomString4*)

When Available

The name of the authentication service associated with the account

newState (*as deviceCustomString5*)

When Available

The new state of the account

destinationName (*as deviceCustomString1*)

When Available

The name of the device relating to the event

destinationAddress

When Available

The address of the device relating to the event

sourceUserDisplayName (*as deviceCustomString2*)

When Available

The human-readable name of the platform user who initiated the action

destinationHostName

When Available

The host name of the device relating to the event

---

**api\_content\_changed**

The resource at an API path was updated

---

**auth\_service\_connection\_error**

Failed to connect to an auth service

---

**device\_account\_created**

New account created on device

*destinationName (as deviceCustomString1)* Always

The name of the device relating to the event

*destinationAddress* Always

The address of the device relating to the event

*destinationUserName* Always

The account on the target device to which the event relates

*destinationHostName* Always

The host name of the device relating to the event

---

**device\_account\_deleted**

Account deleted on device

*destinationName (as deviceCustomString1)* Always

The name of the device relating to the event

*destinationAddress* Always

The address of the device relating to the event

*destinationUserName* Always

The account on the target device to which the event relates

*destinationHostName* Always

The host name of the device relating to the event

---

**device\_account\_discovered**

Discovered new unapproved account on device

**destinationName** (*as deviceCustomString1*) Always

The name of the device relating to the event

**destinationAddress** Always

The address of the device relating to the event

**destinationUserName** Always

The account on the target device to which the event relates

**destinationHostName** Always

The host name of the device relating to the event

---

**device\_account\_missing**

An account was no longer found on a device

**destinationUserName** Always

The account on the target device to which the event relates

---

**device\_fingerprint\_added**

Added device fingerprint

**applicationProtocol** Always

The protocol used to communicate with the device

**port** (*as deviceCustomString1*) Always

Device port

**destinationAddress** Always

Device address

**fingerprint** (*as deviceCustomString2*) Always

Fingerprint

**isApproved** (*as deviceCustomString3*) Always

State of fingerprint approval

---

**device\_fingerprint\_removed**

Removed device fingerprint

**port** (*as deviceCustomString1*) Always

Device port

**destinationAddress** Always

Device address

**applicationProtocol** Always

The protocol used to communicate with the device

---

**device\_granted\_user\_access**

A user has been granted access to a device

destinationName (*as deviceCustomString1*)

Always

The device to which the user was granted access

---

**device\_parameter\_change\_task\_success**

Successfully executed actions after parameter change

---

**device\_parameter\_changed**

Changed device parameter

destinationName (*as deviceCustomString1*)

Always

The name of the device relating to the event

destinationAddress

Always

The address of the device relating to the event

toValue (*as deviceCustomString6*)

Always

The new value of the parameter

parameterName (*as deviceCustomString4*)

Always

The name of the parameter that was changed

destinationHostName

Always

The host name of the device relating to the event

fromValue (*as deviceCustomString5*)

When Available

The old value of the parameter

---

**disk\_capacity**

Disk capacity checked.

---

**error**

An error has occurred

message

Always

A message describing the error

sourceUserName

When Available

The username of the platform user who initiated the action

sourceUserDisplayName (*as deviceCustomString2*)

When Available

The human-readable name of the platform user who initiated the action

**external\_filestore\_mount**

The external filestore mount status was checked

**failed\_to\_generate\_fingerprint**

Could not generate fingerprint

applicationProtocol Always

The protocol used to communicate with the device

port (*as deviceCustomString1*) Always

Device port

aborting (*as deviceCustomString3*) Always

Aborting

reason (*as deviceCustomString2*) Always

Reason

destinationAddress Always

Device address

**failed\_to\_generate\_fingerprint\_log\_only**

Could not generate fingerprint but behaviour is log only

port (*as deviceCustomString1*) Always

Device port

reason (*as deviceCustomString2*) Always

Reason

destinationAddress Always

Device address

applicationProtocol Always

The protocol used to communicate with the device

aborting (*as deviceCustomString3*) Always

Aborting

**failed\_to\_generate\_fingerprint\_non\_default\_tool**

Could not generate fingerprint but non-default tool for device	
applicationProtocol	Always
The protocol used to communicate with the device	
port ( <i>as deviceCustomString1</i> )	Always
Device port	
aborting ( <i>as deviceCustomString3</i> )	Always
Aborting	
reason ( <i>as deviceCustomString2</i> )	Always
Reason	
destinationAddress	Always
Device address	

**fingerprint\_verification\_failure**

Blocking connection. Fingerprint verification failed	
connecting ( <i>as deviceCustomString3</i> )	Always
Connecting	
port ( <i>as deviceCustomString1</i> )	Always
Device port	
destinationAddress	Always
Device address	
applicationProtocol	Always
The protocol used to communicate with the device	
fingerprint ( <i>as deviceCustomString2</i> )	Always
Fingerprint	

**fingerprint\_verification\_failure\_log\_only**

Allowing connection. Fingerprint verification failed but behaviour is log only	
connecting ( <i>as deviceCustomString3</i> )	Always
Connecting	
port ( <i>as deviceCustomString1</i> )	Always
Device port	
applicationProtocol	Always
The protocol used to communicate with the device	
fingerprint ( <i>as deviceCustomString2</i> )	Always
Fingerprint	
destinationAddress	Always
Device address	

---

**fingerprint\_verification\_success**

Allowing connection. Fingerprint verification succeeded	
connecting ( <i>as deviceCustomString3</i> )	Always
Connecting	
port ( <i>as deviceCustomString1</i> )	Always
Device port	
applicationProtocol	Always
The protocol used to communicate with the device	
fingerprint ( <i>as deviceCustomString2</i> )	Always
Fingerprint	
destinationAddress	Always
Device address	

---

**licence\_status**

The licence has been checked

---

**long\_running\_connection\_to\_device**

A user has been connected to a device for a long time	
sourceUserName	Always
The username of the platform user who initiated the action	
changeTicketNames ( <i>as deviceCustomString6</i> )	Always
The names of any change tickets associated with the connection	
channelToken ( <i>as deviceCustomString4</i> )	Always
An arbitrary identifier useful for correlating events pertaining to this connection	
destinationName ( <i>as deviceCustomString1</i> )	Always
The name of the device relating to the event	
destinationAddress	Always
The address of the device relating to the event	
roleName ( <i>as deviceCustomString5</i> )	Always
The name of the role in which the user connected to the device	
duration ( <i>as deviceCustomString3</i> )	Always
The length of time the user has been connected that is now considered to be "long"	
applicationProtocol	Always
The protocol used to communicate with the device	
sourceAddress	Always
The address from which the user connected to the device	
destinationUserName	Always
The account on the target device to which the event relates	
MAPToolName ( <i>as deviceCustomString2</i> )	When Available
The name of the MAP tool used	

---

**no\_device\_control\_account**

A device's Control Account has been marked as deleted

---

**pbm\_login\_from\_new\_address**

A user has logged in from an address they haven't used recently

destinationName *(as deviceCustomString1)*

Always

The device to which the user logged in

destinationUserName

Always

The username which logged in

---

**password\_viewed\_on\_console**

A password was revealed on the break-glass console

destinationName *(as deviceCustomString1)*

Always

The name of the device relating to the event

destinationAddress

Always

The address of the device relating to the event

destinationUserName

Always

The account on the target device to which the event relates

destinationHostName

Always

The host name of the device relating to the event

---

**sent\_mail**

Mail was sent, or failed to send

---

**session\_recording\_status**

There was an attempt to receive and store a session recording screenshot

---

**session\_terminated\_by\_cluster**

An administrator terminated a session

---



---

**session\_terminated\_locally**

An administrator terminated a session

**sourceUserDisplayName** (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

**sourceUserName** Always

The username of the platform user who initiated the action

---

**task\_finished**

An automated task was completed

**destinationName** (*as deviceCustomString1*) Always

The name of the device relating to the event

**destinationAddress** Always

The address of the device relating to the event

**sourceUserName** Always

The username of the platform user who initiated the action

**sourceUserDisplayName** (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

**eventOutcome** Always

The success/failure status of the action

**destinationHostName** Always

The host name of the device relating to the event

**taskName** (*as deviceCustomString6*) When Available

The name assigned to the task that completed

---

**task\_queued**

A task was queued to run

**destinationName** (*as deviceCustomString1*) Always

The name of the device relating to the event

**destinationAddress** Always

The address of the device relating to the event

**taskName** (*as deviceCustomString6*) Always

The name assigned to the queued task

**destinationHostName** Always

The host name of the device relating to the event

**sourceUserName** When Available

The username of the platform user who initiated the action

**sourceUserDisplayName** (*as deviceCustomString2*) When Available

The human-readable name of the platform user who initiated the action

---

**user\_acquired\_change\_ticket**

A user acquired a change ticket

**destinationUserName** Always

The user who has been associated with the change ticket

**changeTicketName** (*as deviceCustomString6*) Always

The name of the change ticket acquired by the user

**sourceUserDisplayName** (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

**sourceUserName** Always

The username of the platform user who initiated the action

---

**user\_associated\_change\_ticket\_with\_connection**

A user associated a change ticket with a connection

**changeTicketName** (*as deviceCustomString6*) Always

The name of the change ticket associated with the connection

**sourceUserDisplayName** (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

**externalID** Always

The arbitrary identifier of the connection associated with the change ticket

**sourceUserName** Always

The username of the platform user who initiated the action

---

**user\_cloned\_user**

A user created new user by copying portions of an existing user

**clonedUserName** (*as deviceCustomString2*) Always

The username of the user from which the new user was derived

**destinationUserName** Always

The username of the new user

**sourceUserName** Always

The username of the platform user who initiated the action

**enabled** (*as deviceCustomString5*) When Available

Whether the new user is enabled

**expiresAt** (*as deviceCustomString4*) When Available

When the new user account is set to expire

**authenticationType** (*as deviceCustomString6*) When Available

The authentication type of the new user

**emailAddress** (*as deviceCustomString3*) When Available

The email address of the new user

**user\_commented\_on\_change\_ticket**

A user commented on a change ticket

changeTicketName (*as deviceCustomString6*) Always

The name of the change ticket on which the user commented

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

sourceUserName Always

The username of the platform user who initiated the action

**user\_connected\_to\_device**

A user connected to a device using the PxM Platform

sourceUserName Always

The username of the platform user who initiated the action

changeTicketNames (*as deviceCustomString6*) Always

The names of any change tickets associated with the connection

channelToken (*as deviceCustomString4*) Always

An arbitrary identifier useful for correlating events pertaining to this connection

destinationName (*as deviceCustomString1*) Always

The name of the device relating to the event

destinationAddress Always

The address of the device relating to the event

roleName (*as deviceCustomString5*) Always

The name of the role in which the user connected to the device

applicationProtocol Always

The protocol used to communicate with the device

sourceAddress Always

The address from which the user connected to the device

destinationUserName Always

The account on the target device to which the event relates

MAPToolName (*as deviceCustomString2*) When Available

The name of the MAP tool used

**user\_created\_account\_mapping\_pattern**

A user created a new account mapping pattern

pattern (*as deviceCustomString6*) Always

The newly created account mapping pattern

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

sourceUserName Always

The username of the platform user who initiated the action

---

### user\_created\_auth\_service

A user created an authentication service

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

authenticationServiceName (*as deviceCustomString6*) Always

The name of the authentication service

sourceUserName Always

The username of the platform user who initiated the action

---

### user\_created\_file

A user created a file stored on the PxM Platform

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

sourceUserName Always

The username of the platform user who initiated the action

destinationName (*as deviceCustomString1*) When Available

The name of the device relating to the event

destinationAddress When Available

The address of the device relating to the event

destinationHostName When Available

The host name of the device relating to the event

---

### user\_created\_user

A user created a new user on the PxM Platform

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

destinationUserName Always

The username of the new user

sourceUserName Always

The username of the platform user who initiated the action

authenticationType (*as deviceCustomString6*) When Available

The authentication type of the new user

enabled (*as deviceCustomString5*) When Available

Whether the new user is enabled

expiresAt (*as deviceCustomString4*) When Available

When the new user account is set to expire

emailAddress (*as deviceCustomString3*) When Available

The email address of the new user

---

**user\_created\_user\_group**

A user created a new user group

sourceUserName Always

The username of the platform user who initiated the action

userNames (*as deviceCustomString5*) Always

The usernames of the users in the new user group

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

userGroupName (*as deviceCustomString6*) AlwaysThe name of the new user group

---

**user\_delete\_fingerprint\_failed**

A user failed to delete a fingerprint

fingerprintId (*as deviceCustomString4*) Always

Fingerprint id

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

sourceUserName AlwaysThe username of the platform user who initiated the action

---

**user\_deleted\_account\_mapping\_pattern**

A user deleted an account mapping pattern

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

pattern (*as deviceCustomString6*) Always

The account mapping pattern that was deleted

sourceUserName AlwaysThe username of the platform user who initiated the action

---

**user\_deleted\_auth\_service**

A user deleted an authentication service

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

authenticationServiceName (*as deviceCustomString6*) Always

The name of the authentication service

sourceUserName Always

The username of the platform user who initiated the action

---

### user\_deleted\_file

A user deleted a file stored on the PxM Platform

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

filePath Always

The full path of the file that was deleted, including the file name

sourceUserName Always

The username of the platform user who initiated the action

destinationName (*as deviceCustomString1*) When Available

The name of the device relating to the event

destinationAddress When Available

The address of the device relating to the event

destinationHostName When Available

The host name of the device relating to the event

---

### user\_deleted\_fingerprint

A user deleted a fingerprint

fingerprint (*as deviceCustomString5*) Always

Deleted fingerprint

deviceName (*as deviceCustomString2*) Always

The human-readable name of the device relating to the event

toolName (*as deviceCustomString3*) Always

The human-readable name of the tool relating to the event

sourceUserName Always

The username of the platform user who initiated the action

fingerprintId (*as deviceCustomString4*) Always

Fingerprint id

---

### user\_deleted\_user

A user deleted a user from the PxM Platform

destinationUserName Always

The username of the user that was deleted

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

sourceUserName Always

The username of the platform user who initiated the action

---

**user\_deleted\_user\_group**

A user deleted a user group

userGroupName (*as deviceCustomString6*) Always

The name of the deleted user group

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

sourceUserName Always

The username of the platform user who initiated the action

---

**user\_disconnected\_from\_device**

A user disconnected from a device

sourceUserName Always

The username of the platform user who initiated the action

changeTicketNames (*as deviceCustomString6*) Always

The names of any change tickets associated with the connection

channelToken (*as deviceCustomString4*) Always

An arbitrary identifier useful for correlating events pertaining to this connection

destinationName (*as deviceCustomString1*) Always

The name of the device relating to the event

destinationAddress Always

The address of the device relating to the event

roleName (*as deviceCustomString5*) Always

The name of the role in which the user connected to the device

applicationProtocol Always

The protocol used to communicate with the device

sourceAddress Always

The address from which the user connected to the device

destinationUserName Always

The account on the target device to which the event relates

MAPToolName (*as deviceCustomString2*) When Available

The name of the MAP tool used

---

**user\_downloaded\_breakglass\_document**

A user downloaded the breakglass document

sourceUserName Always

The username of the platform user who initiated the action

---

**user\_executed\_troubleshooting\_script**

A user executed a troubleshooting script on the PxM Virtual Application console

fileName	Always
The name of the script that was executed on the console	
sourceUserDisplayName ( <i>as deviceCustomString2</i> )	Always
The human-readable name of the platform user who initiated the action	
scriptArguments ( <i>as deviceCustomString6</i> )	Always
The arguments passed to the script	
sourceUserName	Always
The username of the platform user who initiated the action	

---

**user\_failed\_login\_odc**

A user failed to log in using the PxM Client

destinationName ( <i>as deviceCustomString1</i> )	Always
The name of the device relating to the event	
destinationAddress	Always
The address of the device relating to the event	
sourceAddress	Always
The address from which the client attempted to connect	
sourceUserName	Always
The username of the platform user who initiated the action	
destinationUserName	Always
The account on the target device to which the event relates	
destinationHostName	Always
The host name of the device relating to the event	
message	When Available
An error message about why the login attempt failed	



---

**user\_failed\_to\_update\_device\_password**

A user failed to update the password on a device

sourceUserName Always

The username of the platform user who initiated the action

destinationName (*as deviceCustomString1*) Always

The name of the device relating to the event

destinationAddress Always

The address of the device relating to the event

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

reason Always

The reason the password update did not proceed

destinationUserName Always

The account on the target device to which the event relates

destinationHostName Always

The host name of the device relating to the event

---

**user\_forced\_secrets\_refresh**

A user forced a password refresh for an account

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

destinationUserName Always

The account on the target device to which the event relates

sourceUserName Always

The username of the platform user who initiated the action

destinationName (*as deviceCustomString1*) When Available

The name of the device relating to the event

destinationAddress When Available

The address of the device relating to the event

authenticationServiceName (*as deviceCustomString6*) When Available

The authentication service to which the account belongs

destinationHostName When Available

The host name of the device relating to the event

---

**user\_locked\_device\_account**

A user locked an account on a device

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

destinationUserName Always

The account on the target device to which the event relates

sourceUserName Always

The username of the platform user who initiated the action

---

**user\_logged\_in\_odc**

A user logged in using the PxM Client

destinationName (*as deviceCustomString1*) Always

The name of the device relating to the event

destinationAddress Always

The address of the device relating to the event

sourceUserName Always

The username of the platform user who initiated the action

sourceAddress Always

The address from which the client connected

destinationUserName Always

The account on the target device to which the event relates

destinationHostName Always

The host name of the device relating to the event

---

**user\_logged\_out\_odc**

A user logged out using the PxM Client

sourceUserName Always

The username of the platform user who initiated the action

destinationName (*as deviceCustomString1*) Always

The name of the device relating to the event

destinationAddress Always

The address of the device relating to the event

sourceAddress Always

The address from which the client was connected

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

destinationUserName Always

The account on the target device to which the event relates

destinationHostName Always

The host name of the device relating to the event

---

**user\_migrated\_device\_to\_new\_template**

A user migrated a device to use a new template

`oldTemplateName` (*as deviceCustomString2*) Always

The name of the device template that was used to handle the device configuration and interactions

`oldTemplateVersion` (*as deviceCustomString3*) Always

The version of the device templated that was used to handle the device configuration and interactions

`newTemplateVersion` (*as deviceCustomString5*) Always

The version of the device templated that will now be used to handle the device configuration and interactions

`sourceUserName` Always

The username of the platform user who initiated the action

`newTemplateName` (*as deviceCustomString4*) Always

The name of the device template that will now be used to handle the device configuration and interactions

`templateVendor` (*as deviceCustomString6*) Always

The vendor of the device that the template is targeting

`destinationName` (*as deviceCustomString1*) Always

The name of the device relating to the event

`destinationAddress` Always

The address of the device relating to the event

`destinationHostName` Always

The host name of the device relating to the event

---

**user\_opened\_device\_connection**

A user opened a device connection using the PxM Platform

`destinationName` (*as deviceCustomString1*) Always

The name of the device relating to the event

`sourceUserName` Always

The username of the platform user who initiated the action

---

**user\_provisioned\_device**

A user provisioned a device

templateName ( <i>as deviceCustomString4</i> )	Always
The name of the device template used to handle the device configuration and interactions	
templateVendor ( <i>as deviceCustomString6</i> )	Always
The vendor of the device that the template is targeting	
sourceUserName	Always
The username of the platform user who initiated the action	
destinationName ( <i>as deviceCustomString1</i> )	Always
The name of the device relating to the event	
destinationAddress	Always
The address of the device relating to the event	
sourceUserDisplayName ( <i>as deviceCustomString2</i> )	Always
The human-readable name of the platform user who initiated the action	
templateVersion ( <i>as deviceCustomString5</i> )	Always
The version of the device templated used to handle the device configuration and interactions	
destinationHostName	Always
The host name of the device relating to the event	
authServiceName ( <i>as deviceCustomString3</i> )	When Available
The human-readable name of the auth service the device was provisioned with	

---

**user\_read\_device\_file**

A user read the contents of a file on a device

sourceUserName	Always
The username of the platform user who initiated the action	
filePath	Always
The full path on the device of the file that was read	
destinationName ( <i>as deviceCustomString1</i> )	Always
The name of the device relating to the event	
destinationAddress	Always
The address of the device relating to the event	
sourceUserDisplayName ( <i>as deviceCustomString2</i> )	Always
The human-readable name of the platform user who initiated the action	
destinationUserName	Always
The account on the target device to which the event relates	
destinationHostName	Always
The host name of the device relating to the event	

---

**user\_released\_change\_ticket**

A user released a change ticket

changeTicketName (*as deviceCustomString6*) Always

The name of the change ticket released by the user

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

sourceUserName Always

The username of the platform user who initiated the action

destinationUserName When Available

The username of the user who was associated with the change ticket

---

**user\_requested\_profile\_deletion**

A user requested the deletion of a profile

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

profileName (*as deviceCustomString6*) Always

The name of the profile to be deleted

sourceUserName Always

The username of the platform user who initiated the action

---

**user\_revealed\_secrets**

A user revealed the secrets for an account

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

destinationUserName Always

The account on the target device to which the event relates

sourceUserName Always

The username of the platform user who initiated the action

destinationName (*as deviceCustomString1*) When Available

The name of the device relating to the event

destinationAddress When Available

The address of the device relating to the event

authenticationServiceName (*as deviceCustomString6*) When Available

The authentication service to which the account belongs

destinationHostName When Available

The host name of the device relating to the event

---

**user\_revealed\_secrets\_history**

A user revealed the secrets history for an account

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

numberRevealed (*as deviceCustomNumber1*) Always

The number of historical secrets that were revealed

destinationUserName Always

The account on the target device to which the event relates

sourceUserName Always

The username of the platform user who initiated the action

destinationName (*as deviceCustomString1*) When Available

The name of the device relating to the event

destinationAddress When Available

The address of the device relating to the event

authenticationServiceName (*as deviceCustomString6*) When Available

The authentication service to which the account belongs

destinationHostName When Available

The host name of the device relating to the event

---

**user\_rolled\_back\_device\_passwords**

A user rolled back the passwords on a device

destinationName (*as deviceCustomString1*) Always

The name of the device relating to the event

destinationAddress Always

The address of the device relating to the event

sourceUserName Always

The username of the platform user who initiated the action

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

destinationHostName Always

The host name of the device relating to the event

---

**user\_started\_deleting\_auth\_service**

A user triggered the deletion and cleanup of an authentication service

authenticationServiceName (*as deviceCustomString6*) Always

The name of the authentication service being deleted

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

sourceUserName Always

The username of the platform user who initiated the action

---

### user\_started\_deleting\_user

A user initiated the deletion of another user on the PxM Platform

droppedActiveConnections (*as deviceCustomString6*) Always

Whether the PxM Platform dropped active connections from the user in order to initiate the deletion

destinationUserName Always

The name of the user being deleted

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

sourceUserName Always

The username of the platform user who initiated the action

---

### user\_unlocked\_device\_account

A user unlocked an account on a device

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

destinationUserName Always

The account on the target device to which the event relates

sourceUserName Always

The username of the platform user who initiated the action

---

### user\_unprovisioned\_device

A user unprovisioned a device

destinationName (*as deviceCustomString1*) Always

The name of the device relating to the event

destinationAddress Always

The address of the device relating to the event

sourceUserName Always

The username of the platform user who initiated the action

forced (*as deviceCustomString6*) Always

Whether the device was forcibly unprovisioned

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

destinationHostName Always

The host name of the device relating to the event

---

**user\_update\_fingerprint\_failed**

A user failed to update a connection fingerprint

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

fingerprintId (*as deviceCustomString5*) Always

Fingerprint id

newIsApproved (*as deviceCustomString4*) Always

New state of fingerprint approval

sourceUserName Always

The username of the platform user who initiated the action

---

**user\_updated\_account\_mapping\_pattern**

A user updated an account mapping pattern

pattern (*as deviceCustomString6*) Always

The account mapping pattern that was updated

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

sourceUserName Always

The username of the platform user who initiated the action

---

**user\_updated\_device\_file**

A user performed an action that changed a file on a device

sourceUserName Always

The username of the platform user who initiated the action

filePath Always

The full path on the device of the file that was updated

destinationName (*as deviceCustomString1*) Always

The name of the device relating to the event

destinationAddress Always

The address of the device relating to the event

deviceAction Always

The action (append, overwrite, delete) that was taken by the user

sourceUserDisplayName (*as deviceCustomString2*) Always

The human-readable name of the platform user who initiated the action

destinationUserName Always

The account on the target device to which the event relates

destinationHostName Always

The host name of the device relating to the event



**user\_updated\_device\_secret**

A user updated device credentials

sourceUserName	Always
The username of the platform user who initiated the action	
destinationName ( <i>as deviceCustomString1</i> )	Always
The name of the device relating to the event	
destinationAddress	Always
The address of the device relating to the event	
sourceUserDisplayName ( <i>as deviceCustomString2</i> )	Always
The human-readable name of the platform user who initiated the action	
destinationUserName	Always
The account on the target device to which the event relates	
destinationHostName	Always
The host name of the device relating to the event	

**user\_updated\_fingerprint**

A user updated a connection fingerprint

oldIsApproved ( <i>as deviceCustomString3</i> )	Always
Old state of fingerprint approval	
deviceName ( <i>as deviceCustomString2</i> )	Always
The human-readable name of the device relating to the event	
fingerprint ( <i>as deviceCustomString5</i> )	Always
Fingerprint	
newIsApproved ( <i>as deviceCustomString4</i> )	Always
New state of fingerprint approval	
sourceUserName	Always
The username of the platform user who initiated the action	

---

**user\_updated\_personal\_secrets**

A user updated the secrets record for a personal account

**sourceUserDisplayName** (*as deviceCustomString2*) **Always**

The human-readable name of the platform user who initiated the action

**destinationUserName** **Always**

The account on the target device to which the event relates

**sourceUserName** **Always**

The username of the platform user who initiated the action

**destinationName** (*as deviceCustomString1*) **When Available**

The name of the device relating to the event

**destinationAddress** **When Available**

The address of the device relating to the event

**authenticationServiceName** (*as deviceCustomString6*) **When Available**

The authentication service to which the account belongs

**destinationHostName** **When Available**

The host name of the device relating to the event

---

**user\_updated\_profile\_memberships**

A user updated the memberships of a profile

**profileName** (*as deviceCustomString6*) **Always**

The name of the profile for which the users were changed

**sourceUserDisplayName** (*as deviceCustomString2*) **Always**

The human-readable name of the platform user who initiated the action

**entityType** (*as deviceCustomString5*) **Always**

The type of entity (user, user\_group, device, tool, task) added to or removed from the profile

**sourceUserName** **Always**

The username of the platform user who initiated the action

**addedEntityNames** (*as deviceCustomString4*) **When Available**

The names of the entities of the specified type added to the profile

**removedEntityNames** (*as deviceCustomString3*) **When Available**

The names of the entities of the specified type removed from the profile

[user\\_updated\\_user\\_group](#)

A user updated a user group

`userGroupName` (*as deviceCustomString6*) Always

The name of the updated user group

`sourceUserName` Always

The username of the platform user who initiated the action

`removedUserNames` (*as deviceCustomString2*) When Available

The names of the users who were removed from the group

`oldUserGroupName` (*as deviceCustomString5*) When Available

The previous name of the user group if it has been changed

`addedUserNames` (*as deviceCustomString3*) When Available

The names of the users who were added to the group